



# Wheel Well Guards

## 79121 - Installation Instructions

### Ford F150

#### PACKAGE CONTENTS:



Wheel Well Guard  
Driver's Side (1)

- 8 - #10 SEM Screws
- 8 - U-Clips




Wheel Well Guard  
Passenger's Side (1)

#### TOOLS REQUIRED:

- Phillips Head Screwdriver

#### VEHICLE PREPARATION:

Your vehicle's rear fender wells should be cleaned prior to the installation of your new Husky Wheel Well Guards.



#### Installation

Read all directions thoroughly prior to the installation of your Wheel Well Guards.

A, B, C & D are pre-drilled fastener locations for installation.



1. Check part number on the top of the Wheel Well Guard and identify DS & PS to determine which side to install.
  - DS 7912 installs on the driver's side.
  - PS 7912 installs on the passenger's side.



2. Install a u-clip over the factory hole at location B and C.



3. Insert the Wheel Well Guard into the rear wheel well opening over the tire.

**NOTE:** It is not necessary to remove the tire.



4. Push the Wheel Well Guard up into the wheel well opening.



5. Insert the lower flap sections of the Wheel Well Guard into the fender well behind the fender well lip. Perform this step for both the front and rear lower flap sections.



6. Tuck the remaining portion of the Wheel Well Guard behind the fender lip all the way around the fender well opening.

**Note:** Make sure on flared models the Wheel Well Guard lip is tucked behind the metal wheel well lip of the truck



7. Align the holes in the Wheel Well Guard at locations B and C with the factory screw locations with the U-clips and install the #10 SEM screws using a phillips head screwdriver.

**Note:** Do not tighten screws all the way till all fasteners are installed



8. At locations A and D install the #10 SEM screws through the Wheel Well Guard and the slotted factory hole and into a U-clip on the backside of the sheet metal.

**Note:** The U-clip goes on the back side of the sheet metal and is used as a nut at both locations A and D.



9. Once all fasteners at locations A,B,C & D are installed, tighten with a phillips head screwdriver

10. Repeat steps 1-9 on the other side of the vehicle.

---

Congratulations,  
You have now successfully installed  
your new Husky Liners Wheel Well  
Guards. If you have any questions  
please call us at 1-800-344-8759.

## HUSKY LINERS WHEEL WELL GUARDS LIMITED LIFETIME WARRANTY

WINFIELD CONSUMER PRODUCTS WARRANTS YOUR HUSKY LINERS WHEEL WELL GUARD PROTECTION PRODUCT WITH A LIMITED LIFETIME WARRANTY TO THE ORIGINAL PURCHASER. IF YOUR FINISHED PRODUCT IS FOUND DEFECTIVE, WINFIELD CONSUMER PRODUCTS WILL AUTHORIZE THE REPLACEMENT OF YOUR PRODUCT AT NO CHARGE TO THE ORIGINAL PURCHASER. THIS WARRANTY COVERS PRODUCT REPLACEMENT ONLY. WINFIELD CONSUMER PRODUCTS WILL NOT PROVIDE A MONETARY REFUND FOR THE PRICE OF THE PRODUCT OR CHARGES INCURRED DURING INSTALLATION. THIS WARRANTY IS NOT TRANSFERABLE. WINFIELD CONSUMER PRODUCTS ASSUMES NO LIABILITY FOR PRODUCT FAILURE DUE TO ACCIDENT, COLLISION, NEGLIGENCE, VANDALISM OR ABUSE.

THERE IS NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY THAT THE PRODUCT SHALL BE FIT FOR ANY PARTICULAR PURPOSE OR USE. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY HAVE OTHER RIGHTS WHICH VARY FROM JURISDICTION.

THIS PRODUCT IS TO BE USED IN COMPLIANCE WITH ALL APPLICABLE STATE OR PROVINCIAL LAWS. INSTALLATION OF THIS PRODUCT IN A MANNER THAT VIOLATES STATE OR PROVINCIAL LAW IS A MISUSE OF THE PRODUCT AND VOIDS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTY OF MERCHANTABILITY. WINFIELD CONSUMER PRODUCTS SHALL NOT BE LIABLE IN ANY MANNER WHATSOEVER FOR DAMAGES RELATED TO THE USE OF THIS PRODUCT IN AN ILLEGAL MANNER.

FOR WARRANTY SERVICE CONTACT YOUR HUSKY LINERS DEALER OR CALL WINFIELD CONSUMER PRODUCTS AT (800) 344-8759.